

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2003
Camden City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	87	12	5	63	92	12
AIDS-CD4 Only	#	#	#	#	261	35
HIV Only	#	#	#	#	391	53
-----	-----	---	-----	---	-----	---
Total	736	100	8	100	744	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	51	7	0	0	51	7
5-12	8	1	Black, Not Hispanic	#	#	#	#	400	54
13-19	5	1	Hispanic	281	38	5	63	286	38
20-29	46	6	Other/Unknown	#	#	#	#	7	1
30-39	231	31	-----	-----	---	-----	---	-----	---
40-49	309	42	Total	736	100	8	100	744	100
50+	145	19							
Unk.	0	0							
-----	-----	---							
Total	744	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	116	26	0	0	116	16
Injection drug user (IDU)	186	41	82	29	268	37
MSM/IDU	18	4	0	0	18	2
Heterosexual contact	53	12	124	44	177	24
Risk not reported/other***	77	17	75	27	152	21
-----	-----	---	-----	---	-----	---
Total	450	100	281	100	731	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	7	100	6	100	13	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	7	100	6	100	13	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2003.

** 5 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2003
Camden City Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	159 (20)	132 (84)	10 (43)	8 (80)	169 (20)	140 (84)
Other OI w/o PCP	229 (28)	171 (75)	13 (57)	8 (62)	242 (29)	179 (75)
KS Alone	5 (1)	5 (100)	0 (0)	0 (.)	5 (1)	5 (100)
No Disease Listed	418 (52)	157 (38)	0 (0)	0 (.)	418 (50)	157 (38)
Total	811 (100)	465 (58)	23 (100)	16 (70)	834 (100)	481 (58)

2. Age *	Cases %		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	19	2	White, Not Hispanic	#	#	#	#	#	#
5-12	#	#	Black, Not Hispanic	429	53	6	26	435	52
13-19	#	#	Hispanic	312	38	16	70	328	39
20-29	144	17	Other/Unknown	#	#	#	#	#	#
30-39	338	41							
40-49	230	28	Total	811	100	23	100	834	100
Over 49	96	12							
Unknown	0	0							
Total	834	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	171	30	0	0	171	21
Injection drug user (IDU)	263	46	87	36	350	43
MSM/IDU	40	7	0	0	40	5
Heterosexual contact	39	7	111	46	150	18
Risk not reported/other***	56	10	44	18	100	12
Total	569	100	242	100	811	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	12	92	10	100	22	96
Risk not reported/other***	#	#	0	0	#	#
Total	13	100	10	100	23	100

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2003
Camden City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	10	10	100%
1987	16	16	100%
1988	22	20	91%
1989	31	28	90%
1990	37	33	89%
1991	60	49	82%
1992	70	57	81%
1993	100	69	69%
1994	74	48	65%
1995	82	51	62%
1996	55	28	51%
1997	71	31	44%
1998	28	8	29%
1999	41	#	#
2000	40	13	33%
2001	35	10	29%
2002	38	5	13%
2003	20	0	0%
-----	-----	-----	-----
Total	834	481	58%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2003
Camden City Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	6	1	White, Not Hispanic	#	#	#	#	36	8
5-12	#	#	Black, Not Hispanic	#	#	#	#	236	54
13-19	13	3	Hispanic	#	#	#	#	162	37
20-29	118	27	Other/Unknown	5	1	0	0	5	1
30-39	176	40	-----	-----	-----	-----	-----	-----	-----
40-49	102	23	Total	432	100	7	100	439	100
Over 49	22	5							
Unknown	#	#							
-----	-----	-----							
Total	439	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	63	25	0	0	63	15
Injection drug user (IDU)	104	41	58	33	162	38
MSM/IDU	8	3	0	0	8	2
Heterosexual contact	35	14	68	38	103	24
Risk not reported/other***	45	18	51	29	96	22
-----	-----	-----	-----	-----	-----	-----
Total	255	100	177	100	432	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	7	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	-----	-----	-----	-----	-----
Total	#	#	#	#	7	100

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having
been HIV-infected as children. They are counted as adult/adolescent
reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS
that have subsequently been updated to AIDS. Also not included in these tables are
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2003
Camden City Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	393	32	23	77	416	33
AIDS-CD4 Only	418	34	0	0	418	33
HIV Only	432	35	7	23	439	34
-----	-----	---	-----	---	-----	---
Total	1243	100	30	100	1273	100

2. Age *	Cases %		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
				Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	28	2	White, Not Hispanic	#	#	#	#	105	8
5-12	#	#	Black, Not Hispanic	662	53	9	30	671	53
13-19	19	1	Hispanic	471	38	19	63	490	38
20-29	293	23	Other/Unknown	#	#	#	#	7	1
30-39	525	41	-----	-----	---	-----	---	-----	---
40-49	303	24	Total	1243	100	30	100	1273	100
Over 49	102	8							
Unknown	#	#							
-----	-----	---							
Total	1273	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	234	28	0	0	234	19
Injection drug user (IDU)	367	45	145	35	512	41
MSM/IDU	48	6	0	0	48	4
Heterosexual contact	74	9	179	43	253	20
Risk not reported/other***	101	12	95	23	196	16
-----	-----	---	-----	---	-----	---
Total	824	100	419	100	1243	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	15	94	14	100	29	97
Risk not reported/other***	#	#	0	0	#	#
-----	-----	---	-----	---	-----	---
Total	16	100	14	100	30	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2003
Camden City Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	7	7	100%
1986	21	16	76%
1987	29	24	83%
1988	36	30	83%
1989	37	33	89%
1990	77	55	71%
1991	105	65	62%
1992	144	67	47%
1993	119	54	45%
1994	117	46	39%
1995	112	50	45%
1996	93	24	26%
1997	84	20	24%
1998	56	10	18%
1999	61	8	13%
2000	45	10	22%
2001	53	5	9%
2002	53	#	#
2003	21	0	0%
Unknown	#	#	#
-----	-----	-----	-----
Total	1273	529	42%